









Heavy Duty Graffiti Remover #14

1: Identification of the material and supplier

Product Identifier Heavy Duty Graffiti Remover #14

Other Means of Identification WSHDGRG2X5L.CTN

Recommended Use Graffiti remover – removes spray paint and permanent ink form hard surfaces.

Supplier Organisation Location **Contact Information**

> Wirrpanda Supplies Pty Ltd 15 Howe Street Phone: 131 808

E-Mail: ABN: 50 672 225 044 Osborne Park WA 6017

sales@wirrpandasupplies.com.au

Web: www.wirrpandasupplies.com.au

Emergency Phone Number Poisons Information Centre (Australia) 13 11 26

2: Hazardous Identification

Classified as hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) criteria of Safe Work Australia and classified as a non-dangerous good according to Australian Dangerous Goods Code.

GHS Classification Reproductive Toxicity (category 1)

> Skin irritation (category 2) Eye irritation (category 2)

Specific Target Organ Toxicity (category 3)



Signal Word Danger

Hazardous Statement(s) May damage fertility or the unborn child

Causes skin irritation

Causes serious eye irritation May cause respiratory irritation

Precautionary Statement(s) Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Wear eye protection and protective gloves. Do not breathe vapours. Use only in a well-ventilated area. Wash hands thoroughly after handling. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice. IF INHALED: Remove victim

June 2020 Heavy Duty Graffiti Remover #14 Page **1** of **6**













to fresh air and keep in a position comfortable for breathing. Call a POISON CENTRE if you feel unwell. Take off contaminated clothing and wash it before reuse. Use only in a wellventilated area. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of container in accordance with local regulations.

3: Composition/Information on Ingredients

Ingredient **CAS Number** Proportion (% w/v)

N-Methyl Pyrrolidone 872-50-4 >60% Non-hazardous ingredients To 100%

4: First Aid Measures

General For advice, contact a Poisons Information Centre (Australia 13 11 26) or a doctor.

Ingestion If swallowed, DO NOT induce vomiting. If person is conscious, rinse mouth thoroughly with

water, first then give a glass of water to drink. If vomiting occurs, wash out mouth again with

water and give another glass of water to drink. Seek medical attention.

Eyes If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue

flushing until advised to stop by a Poisons Information Centre (Australia 13 11 26) or by a

doctor, or for at least 15 minutes.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with

running water.

Inhalation If swallowed or inhaled, remove from contaminated area. Apply artificial respiration if not

breathing. Do not give direct mouth-to-mouth resuscitation. To protect rescuer, use air-viva,

oxy-viva or one-way mask. Resuscitate in a well-ventilated area.

Symptoms Caused by

Exposure

Please refer to Section 11- Toxicological Information.

Medical Attention and Special

Treatment

Treat symptomatically

5: Fire Fighting Measures

Suitable Extinguishing

Equipment

Extinguish fire using agent suitable for type of surrounding fire. Use foam, dry chemical or

carbon dioxide. Keep run-off water out of sewers and water sources.

Specific Hazards Arising from

the Chemical

When heated to decomposition will produce irritating fumes. The product is a combustible

liquid.

Special Protective Equipment and Precautions for Fire

Fighters

Use water spray to keep fire-exposed containers cool. The following protective equipment for fire fighters is recommended when this material is present in the area of a fire. Liquid-tight

chemical protective suit with breathing apparatus.

Hazchem Code None allocated.

6: Accidental Release Measures

June 2020 Heavy Duty Graffiti Remover #14 Page 2 of 6











Personal Precautions

Surfaces may be slippery. Increase ventilation. Wear PPE in accordance with section 8. Stop leak if safe to do so. Isolate the spill area. Keep unnecessary personnel away. Clean up

immediately to avoid accidents.

Environmental Precautions

Do NOT allow spilled concentrated product to enter drains, sewers, creeks, dams, rivers or

waterways.

Spills and Disposal **Small Spills**

> Mop or wipe up with a rag or paper towel and dispose of in the rubbish. Wash down surface with water.

Large Spills

Contain, collect and recycle spilt product if possible otherwise absorb spill with material such as soil, sand, attapulgite, vermiculite. Collect and seal in properly labelled, chemical resistant containers. Wash area with water. Seek disposal options by a licensed waste contractor.

7: Handling and Storage

Precautions for Safe Handling

Wash hands after use. Minimise direct contact with product. Wear PPE in accordance with label or section 8.

Conditions for Safe Storage

Always replace lid on container after use. Store locked up in a cool dry well-ventilated area and out of direct sunlight and out of reach of children.

8: Exposure Controls - Personal Protection

National Exposure Standards

TWA of 103mg/m3 N-Methyl Pyrrolidone STEL of 75ppm.

Engineering Controls

Avoid generation and inhalation of mists and aerosols. Use in well-ventilated area. Avoid

contact with skin, eyes and clothing.

Personal Protection

Eyes/Face Eye protection

Hands Protective natural rubber gloves

Skin Overalls or apron and chemical resistant safety boots.

Respiratory If ventilation is inadequate, wear an approved respirator with suitable filter for organic gases

and vapours.

9: Physical and Chemical Properties

June 2020 Heavy Duty Graffiti Remover #14 Page **3** of **6**













Appearance Viscous clear straw coloured liquid

OdourFaint characteristicpHNot determinedVapour PressureNo data available

Vapour Density3.42 Air = 1Flash Point $>60 ^{\circ}\text{C} -<93 ^{\circ}\text{C}$

Flammability Limits Not flammable but combustible

Boiling Point >150°C **Melting Point** <0°C

Specific Gravity 1.02 – 1.04

Solubility Emulsifiable with water

10: Stability and Reactivity

Chemical Stability The product is stable under normal conditions.

Possibility of Hazardous

Reaction

No hazardous reactions expected when handled in accordance with label directions.

Conditions to Avoid Extreme heat and temperatures, sparks and open flames. **Incompatible Materials** Strong oxidizing agents, acids and reducing agents.

Hazardous Decomposition

Products

Thermal decomposition is highly dependent on conditions approx. >300°C. A complex mixture of airborne solids, liquids, gases, including carbon monoxide, carbon dioxide and other organic compounds will be evolved when this material undergoes combustion or

thermal or oxidative degradation.

11: Toxicological Information

Ingestion The product has a low toxicity based on animal tests following oral exposure. The median

LD50 in rats was >6500mg/kg bw. Ingestion of large amounts may cause irritation of the

throat and cause gastrointestinal upset.

Eye Irritating to the eyes. May cause reddening of the eye.

Skin Although no conventional toxicological studies have been conducted to specifically

examine skin defatting, the product could present severe irritant dermatitis due to defatting which is common to organic solvents. Experiments have shown reproductive toxicity effects in male and female laboratory animals. Suspected human reproductive toxicant. Damage to

unborn child possible.

Inhalation Inhalation of vapours or mists may cause irritation to the respiratory system. High

concentrations may cause central nervous system depression resulting in headaches,

June 2020 Heavy Duty Graffiti Remover #14 Page **4** of **6**













dizziness and nausea; continued inhalation may result in unconsciousness and/or death.

12: Ecological Information

Fish 96hr LC50 4000mg/L. Aquatic invertebrates 96hr LC50 1500mg/L (product) **Ecotoxicity**

Persistence/Degradability The surfactants are expected to be inherently biodegradable according to the AS 4351 Part

2 test protocol.

Bio-accumulative Potential Log Pow: -0.46 Mobility in Soil No data available

13: Disposal Considerations

Disposal Methods The most effective way to dispose of product is to use as was originally intended, in

accordance with label instructions.

If disposal of large volumes of unwanted or excess product is required, either supply to product to someone who can use it in accordance with label instructions or contact your local council and/or state environmental authority for advice. Dispose of in accordance with Local, State and Federal regulations.

Drain containers thoroughly and rinse empty containers with water and use the solution in

accordance with label instructions.

Recycle packaging at an approved collection point or recycling facility.

14: Transport Information

UN Number Not applicable **Shipping Name** Not applicable Class Not applicable **Subsidiary Risk** Not applicable **Packing Group** Not applicable

Special Precautions For Users Combustible liquid. Ensure containers are clearly labelled. Keep containers securely sealed

and protected against physical damage.

Hazchem Code Not applicable **IERG Number** Not applicable

15: Regulatory Information

Packaging & Labelling This product is a Scheduled Poison (S6) and must therefore be stored, maintained and used

June 2020 Heavy Duty Graffiti Remover #14 Page **5** of **6**













in accordance with the relevant State Poisons Act.

Defined as a Non-Dangerous Good by the Australian Code for the Transport of Dangerous

Goods by Road and Rail.

16: Other Information

Prepared By Brett Amos Date of Previous Issue August 2019

Changes Made JD - Updated product SDS based on June 2020 GHS review and amended product code.

References Australian Dangerous Goods Code

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice 2011.

Standard for the Uniform Scheduling of Medicines & Poisons (SUSMP)

Globally Harmonised System of Classification and Labelling of Chemicals (GHS)

(Rev.7 2017)

24 HOUR EMERGENCY CONTACT **Contact Person/Point** Australia

Poisons Information Centre 13 11 26

Legal Disclaimer The above information is believed to be correct with respect to the formula used to

> manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY

OF THIS INFORMATION.

END OF SAFETY DATA SHEET